

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L75	12	channel adj2 object same security adj2 object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 13:28
L74	15	73 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 13:27
L73	20	stop\$4 same channel and MQSeries	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 12:31
L72	16	("20010047495"   "5627766"   "5856978"   "5878056"   "6092096"   "6138168"   "6202089"   "6233576"   "6275912"   "6336135").PN. OR ("6434605"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 12:31
L65	122	64 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 12:31
L71	3	queue same channel with stop\$4 and middle\$1ware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 12:21
L70	10	queue same channel same lock\$3 and middle\$1ware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 12:20
L69	257	queue same channel same lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 12:18

## EAST Search History

L68	7	alias adj queue and remote adj queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 11:51
L67	17	alias adj queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 11:51
L49	136	"718".clas. and queue\$3 same (delet\$3 remov\$3 un\$1queue\$3 de\$1queue\$3 complet\$3 empt\$3) same (lock\$3 arbitrat\$3 semaphore\$1) and (script\$1 application\$1 program\$1) same (compil\$3 generat\$3 pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 11:50
L66	115	65 not 58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:44
L64	142	(delet\$3 remov\$3) adj object\$1 and middle\$1ware and queue\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:43
L63	268	(delet\$3 remov\$3) adj object\$1 and middle\$1ware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:43
L62	12617	(delet\$3 remov\$3) adj object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:43
L60	82	59 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:43

## EAST Search History

L59	102	58 not 57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:15
L58	129	middle\$1ware and (delet\$3 clear\$3 remov\$3) near queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:15
L57	64	middle\$1ware and (delet\$3 clear\$3 remov\$3) with queue\$1 same object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:15
L56	351	middle\$1ware and (delet\$3 clear\$3 remov\$3) with queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:07
L52	51	middle\$1ware and (delet\$3 clear\$3 remov\$3) with object\$1 same queue\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:05
L53	35	52 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:58
L51	1101	middle\$1ware and (delet\$3 clear\$3 remov\$3) with object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:58
L50	124	49 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:58

## EAST Search History

L48	390	47 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:00
L47	432	"718".clas. and queue\$3 same (delet\$3 remov\$3 un\$1queue\$3 de\$1queue\$3 complet\$3 empt\$3) and (script\$1 application\$1 program\$1) same (compil\$3 generat\$3 pars\$3) and (lock\$3 arbitrat\$3 semaphore\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:59
L22	131	21 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:59
L46	801	"718".clas. and queue\$3 same (delet\$3 remov\$3 un\$1queue\$3 de\$1queue\$3 complet\$3 empt\$3) and (script\$1 application\$1 program\$1) same (compil\$3 generat\$3 pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:58
L45	1564	"718".clas. and queue\$3 same (delet\$3 remov\$3 un\$1queue\$3 de\$1queue\$3 complet\$3 empt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:56
L44	2497	"718".clas. and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:55
L43	6486	"718".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:55
L42	430	41 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:55

## EAST Search History

L41	554	script with (generator generating) same (analy\$4 detect\$3 pars\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:38
L40	3127	script with (generator generating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:38
L31	433	30 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:38
L38	33	delete adj queue same (lock\$3 block\$3 access\$3 semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:19
L33	27	(identif\$3 anal\$4 detect\$3 locat\$3) near (object\$1 file\$1 message\$1queue\$1 queue\$1) with (delet\$3 remov\$3 empt\$3) same (script\$3 application\$1 program\$1 executable\$1) same (lock\$3 mediat\$3 synch\$6 semaphore\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 07:39
L34	266	(identif\$3 anal\$4 detect\$3 locat\$3) near (object\$1 file\$1 message\$1queue\$1 queue\$1) with (delet\$3 remov\$3 empt\$3) same (script\$3 application\$1 program\$1 executable\$1) and (lock\$3 mediat\$3 synch\$6 semaphore\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 07:27
L32	27	(identif\$3 anal\$4 detect\$3 locat\$3) near (object\$1 file\$1 message\$1queue\$1 queue\$1) with (delet\$3 remov\$3 empt\$3) same (script\$3 application\$1 program\$1 executable\$1) same (lock\$3 mediat\$3 synch\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 07:26
L30	705	(identif\$3 anal\$4 detect\$3 locat\$3) near (object\$1 file\$1 message\$1queue\$1 queue\$1) with (delet\$3 remov\$3 empt\$3) same (script\$3 application\$1 program\$1 executable\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 07:26

## EAST Search History

L18	79	17 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 07:25
L29	1294	(identif\$3 anal\$4 detect\$3 locat\$3) near2 (object\$1 file\$1 message\$1queue\$1 queue\$1) with (delet\$3 remov\$3 empt\$3) same (script\$3 application\$1 program\$1 executable\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 07:24
L28	6385	(object\$1 file\$1 message\$1queue\$1 queue\$1) with (identif\$3 anal\$4 detect\$3 locat\$3) with (delet\$3 remov\$3 empt\$3) same (script\$3 application\$1 program\$1 executable\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 07:04
L24	9	23 not 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:51
L23	143	(queue FIFO) near (empt\$3 clear\$3) same (object\$1 task\$1 job\$1) and (reset\$3 restart\$3) near3 (application program executable script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:49
L17	134	(queue FIFO) near empt\$3 same (object\$1 task\$1 job\$1) and (reset\$3 restart\$3) near3 (application program executable script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:49
L21	165	(script program executable application) with (generat\$3 build\$3) same (analy\$4 detect\$3) with (queue FIFO data\$1structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:32
L20	436	(script program executable application) with (generat\$3 build\$3) same (analy\$4 detect\$3) same (queue FIFO data\$1structure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:32

## EAST Search History

L6	170	5 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:26
L16	465	(queue FIFO) near empt\$3 and (reset\$3 restart\$3) near3 (application program executable script) and (object\$1 task\$1 job\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:25
L15	519	(queue FIFO) near empt\$3 and (reset\$3 restart\$3) near3 (application program executable script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:25
L14	4404	(queue FIFO) near empt\$3 and (reset\$3 restart\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:24
L13	7640	(queue FIFO) near empt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:23
L10	308	(queue FIFO) with (delet\$3 remov\$3 un\$1queu\$3 de\$1queu\$3 complet\$3 empt\$3) with (object\$1 job\$1 task\$1) same (lock\$3 semaphore\$1 moderat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:22
L9	127	8 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:20
L5	256	(queue FIFO) with (delet\$3 remov\$3 un\$1queu\$3 de\$1queu\$3 complet\$3) with (object\$1 job\$1 task\$1) same (lock\$3 semaphore\$1 moderat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:20

## EAST Search History

L8	193	(queue FIFO) same (delet\$3 remov\$3 un\$1queu\$3 de\$1queu\$3 complet\$3) same (object\$1 job\$1 task\$1) same (lock\$3 semaphore\$1 moderat\$3) same (determin\$3 detect\$3 analyz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:19
L7	17	(queue FIFO) with (delet\$3 remov\$3 un\$1queu\$3 de\$1queu\$3 complet\$3) with (object\$1 job\$1 task\$1) same (lock\$3 semaphore\$1 moderat\$3) with (determin\$3 detect\$3 analyz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:19
L4	252	queue with (delet\$3 remov\$3 un\$1queu\$3 de\$1queu\$3 complet\$3) with (object\$1 job\$1 task\$1) same (lock\$3 semaphore\$1 moderat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:14
L3	36	2 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:14
S33	8	(script executable program application) with (delet\$3 remov\$3 un\$1queu\$3 de\$1queu\$3 complet\$3) with (object\$1 job\$1 task\$1) same (generat\$3 insert\$3) with (instruction\$1 command\$1 script\$1) same (lock\$3 semaphore\$1 moderat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:13
S23	34	S21 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:04
L2	47	queue adj object same lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:04
L1	568	queue adj object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:04



## EAST Search History

S44	52	S43 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 06:03
S42	74	S41 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 16:14
S43	58	(instruction command process code script) near2 (modif\$3 insert\$3 instrument\$5 patch\$3) and (queue\$3 FIFO first\$1in\$1first\$1out) with (de\$1queue\$3 un\$1queue\$3 delet\$3 complet\$3 remov\$3) with (job\$1 task\$1 object\$1) same (lock\$3 sync\$6 semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 16:13
S41	86	(instruction command process code script) with (modif\$3 insert\$3 instrument\$5 patch\$3) and (queue\$3 FIFO first\$1in\$1first\$1out) with (de\$1queue\$3 un\$1queue\$3 delet\$3 complet\$3 remov\$3) with (job\$1 task\$1 object\$1) same (lock\$3 sync\$6 semaphore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 16:13
S37	141	S36 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 16:10
S40	21	(instruction command process code) with (insert\$3 instrumentat\$3 patch\$3) and queue\$3 with (de\$1queue\$3 un\$1queue\$3 delet\$3 complet\$3 remov\$3) with (job\$1 task\$1 object\$1) same (lock\$3 sync\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 16:07
S39	593	(instruction command process code) with (insert\$3 instrumentat\$3 patch\$3) and queue\$3 with (de\$1queue\$3 un\$1queue\$3 delet\$3 complet\$3 remov\$3) with (job\$1 task\$1 object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:56

## EAST Search History

S38	20	S37 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:52
S36	216	(script executable program application) with (delet\$3 remov\$3 un\$1queue\$3 de\$1queue\$3 complet\$3) with (object\$1 job\$1 task\$1) same (generat\$3 insert\$3) near\$3 (instruction\$1 command\$1 script\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:46
S31	294	(script executable program application) with (delet\$3 remov\$3 un\$1queue\$3 de\$1queue\$3 complet\$3) with (object\$1 job\$1 task\$1) same (generat\$3 insert\$3) with (instruction\$1 script\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:45
S35	82	S34 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:44
S34	109	(script executable program application) with (delet\$3 remov\$3 un\$1queue\$3 de\$1queue\$3 complet\$3) with (object\$1 job\$1 task\$1) same (generat\$3 insert\$3) with (instruction\$1 command\$1 script\$1) and (lock\$3 semaphore\$1 moderat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:44
S32	191	S31 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:44
S6	119	S5 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:40
S30	27109	(script executable program application) with (delet\$3 remov\$3 un\$1queue\$3 de\$1queue\$3 complet\$3) with (object\$1 job\$1 task\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 15:39

## EAST Search History

S29	14	("6,161,218" "6,567,849" "5,367,635" "6,615,166").pn. 2002\0174420 2003\0046442 2003\0028642	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:36
S28	1	script\$3 and queu\$3 and object and lock\$3 and lock\$3 and alias near queue and security near object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:34
S27	48	script\$3 and queu\$3 and object and lock\$3 and lock\$3 and alias and security near object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:21
S25	209	script\$3 and queu\$3 and object and lock\$3 and lock\$3 and alias and security	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:21
S26	142	S25 and @ad<"20031204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:20
S24	11	S6 and script\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:11
S22	2	security near object and channel near object and alias near queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:05
S21	42	security near object and channel near object and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:05

## EAST Search History

S18	23	(ibm international adj business adj machines) and (queue and object and channel).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:04
S16	343	(ibm international adj business adj machines) and (queue and object).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:02
S15	2	(ibm international adj business adj machines) and (queue and object and alias).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:01
S14	17	christopher near kline.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 14:00
S11	4	queue with (de\$1queu\$3 delet\$3 complet\$3 remov\$3) with (job\$1 task\$1 object\$1) same lock\$3 same channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:47
S5	203	queue with (de\$1queu\$3 delet\$3 complet\$3 remov\$3) with (job\$1 task\$1 object\$1) same lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:46
S10	4	S6 and channel same (halt\$3 stop\$4 clos\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:43
S9	36	S6 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:42

## EAST Search History

S8	4	S6 and alias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:39
S7	34	alias near2 queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:38
S4	2989	queue with (de\$1queue\$3 delet\$3 complet\$3 remov\$3) with (job\$1 task\$1 object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:34
S3	3204	queue with (de\$1queue\$3 delet\$3 complet\$3 remov\$3) same (job\$1 task\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:34
S2	5076	queue same (job\$1 task\$1) same (de\$1queue\$3 delet\$3 complet\$3 remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 13:34